Index of Papers Published in 1981

Author Index

A

Anderson, G.D. *et al.*: *Effects of Various Parameters on Hydraulic Fracturing Geometry*, (Tech. Paper SPE8942) SPEJ Aug., 81 435-443

Anderson, G.D.: *Effects of Friction on Hydraulic Fracture Growth Near Unbonded Interfaces in Rocks*, (Transaction SPE8347) SPEJ Feb., 81 21-29

Anthony, D.K.A. and **Vinsome, P.K.**: *One Approach to the Grid Orientation Problem in Reservoir Simulation*, (Forum SPE8247) SPEJ Apr., 81 160-161

Azar, J.J. and **Iyoho, A.W.**: *An Accurate Slot-Flow Model for Non-Newtonian Fluid Flow Through Eccentric Annuli*, (Tech. Paper SPE9447) SPEJ Oct., 81 565-572

Aziz, K. *et al.*: *Compositional Modeling With an Equation of State*, (Tech. Paper SPE9306) SPEJ Dec., 81 687-698

B

Bae, J.H. and **Petrick, C.B.**: *Phase Behavior and Properties of a Petroleum Sulfonate Blend*, (Tech. Paper SPE8985) SPEJ Oct., 81 573-580

Batycky, J.P. *et al.*: *Interpreting Relative Permeability and Wettability From Unsteady-State Displacement Measurements*, (Transaction SPE9403) SPEJ June, 81 296-308

Bennett, C.O. *et al.*: *Analysis of Pressure Data From Vertically Fractured Injection Wells*, (Transaction SPE8282) SPEJ Feb., 81 5-20

Bennett, K.E. *et al.*: *Microemulsion Phase Behavior - Observations, Thermodynamic Essentials, Mathematical Simulation*, (Tech. Paper SPE9351) SPEJ Dec., 81 747-762

Bishop, K.A. *et al.*: *Unified Analysis of Drawdown and Buildup Data for Physical Model Reservoir Flow With Producing Well at Center of Vertical Fracture*, (Transaction SPE9402) SPEJ June, 81 379-389

Blanton, T.L., III: *Deformation of Chalk Under Confining Pressure and Pore Pressure*, (Transaction SPE8076) SPEJ Feb., 81 43-50

Blevins, C.E. *et al.*: *Investigation of Three-Phase Regions Formed by Petroleum Sulfonate Systems*, (Tech. Paper SPE8260) SPEJ Oct., 81 581-592

Bratli, R.K. and **Risnes, R.**: *Stability and Failure of Sand Arches*, (Tech. Paper SPE8427) SPEJ Apr., 81 236-248

Bricker, C.E. *et al.*: *Characterization of Petroleum Sulfonates by a Non-Aqueous Titration Method*, (Tech. Paper SPE9000) SPEJ Dec., 81 771-778

Brigham, W.E. and **Kucuk, F.**: *Author's Reply to Discussion of Unsteady-State Water Influx in Elliptic andAnisotropic Reservoir/Aquifer Systems*, (Tech. Paper SPE10583) SPEJ Oct., 81 632

Brigham, W.E. and **Kucuk, F.**: *Unsteady-State Water Influx in Elliptic and Anisotropic Reservoir/Aquifer Systems*, (Transaction SPE8748) SPEJ June, 81 309-314

Brill, J.P. *et al.*: *Analysis of Two-Phase Tests in Large-Diameter Flow Lines in Prudhoe Bay Field*, (Transaction SPE8305) SPEJ June, 81 363-378

Burzlaff, B.H. *et al.*: *How Policies Affect Rates of Recovery From Mineral Sources*, (Tech. Paper SPE9553) SPEJ Dec., 81 645-657

C

Calahan, D.A.: *Performance of Linear Algebra Codes on the CRAY-1*, (Tech. Paper SPE7671) SPEJ Oct., 81 558-564

Callaway, E. *et al.*: *Chemistry, Physical Nature, and Rheology of Aqueous Stimulation Foams*, (Tech. Paper SPE9530) SPEJ Aug., 81 410-414

Chappelear, J.E. and **Williamson, A.S.**: *Representing Wells in Numerical Reservoir Simulation: Part 2 - Implementation*, (Transaction SPE9770) SPEJ June, 81 339-344

Chappelear, J.E. and **Williamson, A.S.**: *Representing Wells in Numerical Reservoir Simulation: Part 1 - Theory*, (Transaction SPE7697) SPEJ June, 81 323-338

Chen, W.H. *et al.*: *Experimental and Theoretical Studies on the Fluid Properties Required for Simulation of Thermal Processes*, (Tech. Paper SPE8393) SPEJ Oct., 81 535-550

Chierici, G.L. *et al.*: *Identified Models for Gas Storage Dynamics*, (Tech. Paper SPE8862) SPEJ Apr., 81 151-159

Chiou, C.S. and **Kellerhals, G.E.**: *Polymer/Surfactant Transport in Micellar Flooding*, (Tech. Paper SPE9354) SPEJ Oct., 81 603-612

Cinco-Ley, H. *et al.*: *Decline Curve Analysis Using Type Curves for Two-Porosity Systems*, (Transaction SPE9292) SPEJ June, 81 354-362

Cinco-Ley, H. *et al.*: *Effect of Non-Darcy Flow on the Constant-Pressure Production of Fractured Wells*, (Transaction SPE9344) SPEJ June, 81 390-400

Clark, C.R. *et al.*: *Unified Analysis of Drawdown and Buildup Data for Physical Model Reservoir Flow With Producing Well at Center of Vertical Fracture*, (Transaction SPE9402) SPEJ June, 81 379-389

Coberly, W.A. *et al.*: *Analysis of Two-Phase Tests in Large-Diameter Flow Lines in Prudhoe Bay Field*, (Transaction SPE8305) SPEJ June, 81 363-378

Collier, R.S. *et al.*: *Modeling Natural Gas Reservoirs - A Simple Model*, (Tech. Paper SPE9024) SPEJ Oct., 81 521-526

Crowe, C.W. *et al.*: *Evaluation of Acid-Gelling Agents for Use in Well Stimulation*, (Tech. Paper SPE9384) SPEJ Aug., 81 415-424

Culham, W.E. *et al.*: *Experimental and Theoretical Studies on the Fluid Properties Required for Simulation of Thermal Processes*, (Tech. Paper SPE8393) SPEJ Oct., 81 535-550

Curry, L.L. *et al.*: *Chemistry, Physical Nature, and Rheology of Aqueous Stimulation Foams*, (Tech. Paper SPE9530) SPEJ Aug., 81 410-414

D

Da Prat, G. *et al.*: *Decline Curve Analysis Using Type Curves for Two-Porosity Systems*, (Transaction SPE9292) SPEJ June, 81 354-362

Dalrymple, R.A. *et al.*: *Force Coefficients From Wave Project I and II Data Including Free Surface Effects*, (Tech. Paper SPE9103) SPEJ Dec., 81 779-786

Davis, H.T. *et al.*: *Microemulsion Phase Behavior - Observations, Thermodynamic Essentials, Mathematical Simulation*, (Tech. Paper SPE9351) SPEJ Dec., 81 747-762

Dean, R.G. *et al.*: *Force Coefficients From Wave Project I and II Data Including Free Surface Effects*, (Tech. Paper SPE9103) SPEJ Dec., 81 779-786

Dean, R.G. and **Sharma, J.N.**: *Second-Order Directional Seas and Associated Wave Forces*, (Transaction SPE8584) SPEJ Feb., 81 129-140

Dogru, A.H. and **Seinfeld, J.H.**: *Comparison of Sensitivity Coefficient Calculation Methods in Automatic History Matching*, (Tech. Paper SPE8251) SPEJ Oct., 81 551-557

Dougherty, E.L. *et al.*: *How Policies Affect Rates of Recovery From Mineral Sources*, (Tech. Paper SPE9553) SPEJ Dec., 81 645-657

Duda, J.L. *et al.*: *Flow Characteristics of Surfactant Solutions in Porous Media and Their Rolein Permeability Modifications*, (Tech. Paper SPE9930) SPEJ Dec., 81 709-720

Duda, J.L. *et al.*: *Influence of Polymer-Molecule/Wall Interactions on Mobility Control*, (Tech. Paper SPE9298) SPEJ Oct., 81 613-622

E

Ehlig-Economides, C.A. and **Ramey, H.J., Jr.**: *Pressure Buildup for Wells Produced at a Constant Pressure*, (Transaction SPE7985) SPEJ Feb., 81 105-114

Ehlig-Economides, C.A. and **Ramey, H.J., Jr.**: *Transient Rate Decline Analysis for Wells Produced at Constant Pressure*, (Transaction SPE8387) SPEJ Feb., 81 98-104

Engle, C.J. and **Runnels, J.H.**: *Smackover Nacatoch Crude Oil - Separation of Surfactant Precursors and Their Effect on the Crude*, (Tech. Paper SPE8733) SPEJ Aug., 81 493-499

F

Fair, W.B., Jr.: *Pressure Buildup Analysis With Wellbore Phase Redistribution*, (Tech. Paper SPE8206) SPEJ Apr., 81 259-270

Falk, D.O. *et al.*: *Xanthan Biopolymer Semipilot Fermentation*, (Tech. Paper SPE8420) SPEJ Apr., 81 205-217

Fan, S.K. *et al.*: *Influence of Polymer-Molecule/Wall Interactions on Mobility Control*, (Tech. Paper SPE9298) SPEJ Oct., 81 613-622

Farouq Ali, S.M. *et al.*: *Rate Effects in Tertiary Micellar Flooding of Bradford Crude Oil*, (Tech. Paper SPE7639) SPEJ Aug., 81 469-479

Farouq Ali, S.M.: *A Comprehensive Wellbore Steam/Water Flow Model for Steam Injection and Geothermal Applications*, (Tech. Paper SPE7966) SPEJ Oct., 81 527-534

Fischer, J. *et al.*: *Laboratory Studies of Gasification Kinetics for Western Coals Under Conditions Expected During In-Situ Combustion*, (Tech. Paper SPE7527) SPEJ Dec., 81 740-746

Fisher, D.B. *et al.*: *Interpreting Relative Permeability and Wettability From Unsteady-State Displacement Measurements*, (Transaction SPE9403) SPEJ June, 81 296-308

Fleming, P.D., III and **Vinatieri, J.E.**: *Multivariate Optimization of Surfactant Systems for Tertiary Oil Recovery*, (Transaction SPE7582) SPEJ Feb., 81 77-88

Fleming, P.D., III *et al.*: *Formulation of a General Multiphase, Multicomponent Chemical Flood Model*, (Transaction SPE6727) SPEJ Feb., 81 63-76

Flock, D.L. and **Peters, E.J.**: *The Onset of Instability During Two-Phase Immiscible Displacement in Porous Media*, (Tech. Paper SPE8371) SPEJ Apr., 81 249-258

Fong, D.K. *et al.*: *Compositional Modeling With an Equation of State*, (Tech. Paper SPE9306) SPEJ Dec., 81 687-698

G

Gavalas, G.R. and **Yortsos, Y.C.**: *Analytical Modeling of Oil Recovery by Steam Injection: Part I - Upper Bounds*, (Tech. Paper SPE8148) SPEJ Apr., 81 162-178

Gavalas, G.R. and **Yortsos, Y.C.**: *Analytical Modeling of Oil Recovery by Steam Injection: Part II - Asymptotic and Approximate Solutions*, (Tech. Paper SPE8149) SPEJ Apr., 81 179-190

Gottardi, G.A. *et al.*: *Identified Models for Gas Storage Dynamics*, (Tech. Paper SPE8862) SPEJ Apr., 81 151-159

Green, D.W. *et al.*: *Phase Boundaries of Microemulsion Systems as a Way of Characterizing Hydrocarbon Mixtures*, (Tech. Paper SPE8986) SPEJ Dec., 81 763-770

Green, D.W. *et al.*: *Correlation of Gelation Times for Polymer Solutions Used as Sweep Improvement Agents*, (Tech. Paper SPE8419) SPEJ Apr., 81 229-235

Greenkorn, R.A. and **Sifferman, T.R.**: *Drag Reduction in Three Distinctly Different Fluid Systems*, (Tech. Paper SPE8722) SPEJ Dec., 81 663-669

Guidorzi, R.P. *et al.*: *Identified Models for Gas Storage Dynamics*, (Tech. Paper SPE8862) SPEJ Apr., 81 151-159

Guppy, K.H. *et al.*: *Effect of Non-Darcy Flow on the Constant-Pressure Production of Fractured Wells*, (Transaction SPE9344) SPEJ June, 81 390-400

H

Handy, L.L. and **Ziegler, V.M.**: *Effect of Temperature on Surfactant Adsorption in Porous Media*, (Tech. Paper SPE8264) SPEJ Apr., 81 218-228

Hanson, M.E. *et al.*: *Effects of Various Parameters on Hydraulic Fracturing Geometry*, (Tech. Paper SPE8942) SPEJ Aug., 81 435-443

Helfferich, F.G.: *Theory of Multicomponent, Multiphase Displacement in Porous Media*, (Transaction SPE8372) SPEJ Feb., 81 51-62

Herring, J.D. *et al.*: *Analysis of Two-Phase Tests in Large-Diameter Flow Lines in Prudhoe Bay Field*, (Transaction SPE8305) SPEJ June, 81 363-378

Hill, A.D. *et al.*: *Theoretical and Experimental Studies of Sandstone Acidizing*, (Transaction SPE6607) SPEJ Feb., 81 30-42

Hirasaki, G.J. and **Lake, L.W.**: *Taylor's Dispersion in Stratified Porous Media*, (Tech. Paper SPE8436) SPEJ Aug., 81 459-468

Hirasaki, G.J.: *Application of the Theory of Multicomponent, Multiphase Displacement to Three-Component, Two-Phase Surfactant Flooding*, (Tech. Paper SPE8373) SPEJ Apr., 81 191-204

Hodgins, P.K. *et al.*: *Interpreting Relative Permeability and Wettability From Unsteady-State Displacement Measurements*, (Transaction SPE9403) SPEJ June, 81 296-308

Holcomb, D.L. *et al.*: *Chemistry, Physical Nature, and Rheology of Aqueous Stimulation Foams*, (Tech. Paper SPE9530) SPEJ Aug., 81 410-414

Huang, C.G. *et al.*: *Correlation of Gelation Times for Polymer Solutions Used as Sweep Improvement Agents*, (Tech. Paper SPE8419) SPEJ Apr., 81 229-235

Hudspeth, R.T. *et al.*: *Force Coefficients From Wave Project I and II Data Including Free Surface Effects*, (Tech. Paper SPE9103) SPEJ Dec., 81 779-786

Hultquist, P.F. *et al.*: *Modeling Natural Gas Reservoirs - A Simple Model*, (Tech. Paper SPE9024) SPEJ Oct., 81 521-526

Hurst, W.: *Discussion of Unsteady-State Water Influx in Elliptic and Anisotropic Reservoir/Aquifer Systems*, (Tech. Paper SPE10558) SPEJ Oct., 81 632

I

Ikoku, C.U. and **Lund, O.**: *Pressure Transient Behavior of Non-Newtonian/Newtonian Fluid Composite Reservoirs*, (Tech. Paper SPE9401) SPEJ Apr., 81 271-280

Iyoho, A.W. and **Azar, J.J.**: *An Accurate Slot-Flow Model for Non-Newtonian Fluid Flow Through Eccentric Annuli*, (Tech. Paper SPE9447) SPEJ Oct., 81 565-572

J

Jacoby, R.H. *et al.*: *Experimental and Theoretical Studies on the Fluid Properties Required for Simulation of Thermal Processes*, (Tech. Paper SPE8393) SPEJ Oct., 81 535-550

Jaggernauth, D.J. *et al.*: *Unified Analysis of Drawdown and Buildup Data for Physical Model Reservoir Flow With Producing Well at Center of Vertical Fracture*, (Transaction SPE9402) SPEJ June, 81 379-389

Johnston, J.R. *et al.*: *Simulation and Performance Prediction of a Large-Scale Surfactant/Polymer Project*, (Tech. Paper SPE7471) SPEJ Dec., 81 731-739

K

Kalpakci, B. *et al.*: *Flow Characteristics of Surfactant Solutions in Porous Media and Their Rolein Permeability Modifications*, (Tech. Paper SPE9930) SPEJ Dec., 81 709-720

Kascic, M.J., Jr. *et al.*: *Application of Vector Processors To Solve Finite Difference Equations*, (Tech. Paper SPE7675) SPEJ Aug., 81 447-453

Kellerhals, G.E. and **Chiou, C.S.**: *Polymer/Surfactant Transport in Micellar Flooding*, (Tech. Paper SPE9354) SPEJ Oct., 81 603-612

Klaus, E.E. *et al.*: *Flow Characteristics of Surfactant Solutions in Porous Media and Their Rolein Permeability Modifications*, (Tech. Paper SPE9930) SPEJ Dec., 81 709-720

Klaus, E.E. *et al.*: *Influence of Polymer-Molecule/Wall Interactions on Mobility Control*, (Tech. Paper SPE9298) SPEJ Oct., 81 613-622

Kuba, D.W. *et al.*: *Application of Vector Processors To Solve Finite Difference Equations*, (Tech. Paper SPE7675) SPEJ Aug., 81 447-453

Kucuk, F. and **Brigham, W.E.**: *Author's Reply to Discussion of Unsteady-State Water Influx in Elliptic andAnisotropic Reservoir/Aquifer Systems*, (Tech. Paper SPE10583) SPEJ Oct., 81 632

Kucuk, F. and **Brigham, W.E.**: *Unsteady-State Water Influx in Elliptic and Anisotropic Reservoir/Aquifer Systems*, (Transaction SPE8748) SPEJ June, 81 309-314

L

Lake, L.W. *et al.*: *Simulation and Performance Prediction of a Large-Scale Surfactant/Polymer Project*, (Tech. Paper SPE7471) SPEJ Dec., 81 731-739

Lake, L.W. and **Hirasaki, G.J.**: *Taylor's Dispersion in Stratified Porous Media*, (Tech. Paper SPE8436) SPEJ Aug., 81 459-468

Leach, M.P. and **Yellig, W.F.**: *Compositional Model Studies - CO2 Oil-Displacement Mechanisms*, (Transaction SPE8368) SPEJ Feb., 81 89-97

Lee, S.T. *et al.*: *Experimental and Theoretical Studies on the Fluid Properties Required for Simulation of Thermal Processes*, (Tech. Paper SPE8393) SPEJ Oct., 81 535-550

Lescarboura, J.A. *et al.*: *Unified Analysis of Drawdown and Buildup Data for Physical Model Reservoir Flow With Producing Well at Center of Vertical Fracture*, (Transaction SPE9402) SPEJ June, 81 379-389

Lien, C.L. *et al.*: *Phase Behavior of CO2 and Crude Oil in Low-Temperature Reservoirs*, (Tech. Paper SPE8813) SPEJ Aug., 81 480-492

Lin, Z.S. *et al.*: *Unified Analysis of Drawdown and Buildup Data for Physical Model Reservoir Flow With Producing Well at Center of Vertical Fracture*, (Transaction SPE9402) SPEJ June, 81 379-389

Lindsay, D.M. *et al.*: *Theoretical and Experimental Studies of Sandstone Acidizing*, (Transaction SPE6607) SPEJ Feb., 81 30-42

Lohrenz, J. *et al.*: *How Policies Affect Rates of Recovery From Mineral Sources*, (Tech. Paper SPE9553) SPEJ Dec., 81 645-657

Lovell, P.F. and **Seitzer, W.H.**: *Flow Properties of Utah Shale Oils*, (Tech. Paper SPE9500) SPEJ Dec., 81 679-686

Luetzelschwab, W.E. *et al.*: *Xanthan Biopolymer Semipilot Fermentation*, (Tech. Paper SPE8420) SPEJ Apr., 81 205-217

Lund, O. and **Ikoku, C.U.**: *Pressure Transient Behavior of Non-Newtonian/Newtonian Fluid Composite Reservoirs*, (Tech. Paper SPE9401) SPEJ Apr., 81 271-280

M

Martin, F.D. and **Ward, J.S.**: *Prediction of Viscosity for Partially Hydrolyzed Polyacrylamide Solutions in the Presence of Calcium and Magnesium Ions*, (Tech. Paper SPE8978) SPEJ Oct., 81 623-631

Martin, R.C. *et al.*: *Evaluation of Acid-Gelling Agents for Use in Well Stimulation*, (Tech. Paper SPE9384) SPEJ Aug., 81 415-424

McCaffery, F.G. *et al.*: *Interpreting Relative Permeability and Wettability From Unsteady-State Displacement Measurements*, (Transaction SPE9403) SPEJ June, 81 296-308

McDonald, A.E. and **Trimble, R.H.**: *A Strongly Coupled, Fully Implicit, Three-Dimensional, Three-Phase Well Coning Model*, (Tech. Paper SPE5738) SPEJ Aug., 81 454-458

McEdwards, D.G.: *Multiwell Variable-Rate Well Test Analysis*, (Forum SPE8392) SPEJ Aug., 81 444-446

Meijerink, J.A. and **Welty, D.H.**: *An Improved Formulation and Solution Method for Single-Phase Flow Problems*, (Transaction SPE7685) SPEJ June, 81 289-295

Meyers, K.O. and **Salter, S.J.**: *The Effect of Oil/Brine Ratio on Surfactant Adsorption From Microemulsion*, (Tech. Paper SPE8989) SPEJ Aug., 81 500-512

Michaelis, A.M. *et al.*: *Evaluation of Acid-Gelling Agents for Use in Well Stimulation*, (Tech. Paper SPE9384) SPEJ Aug., 81 415-424

Michnick, M.J. *et al.*: *Phase Boundaries of Microemulsion Systems as a Way of Characterizing Hydrocarbon Mixtures*, (Tech. Paper SPE8986) SPEJ Dec., 81 763-770

Michnick, M.J. *et al.*: *Investigation of Three-Phase Regions Formed by Petroleum Sulfonate Systems*, (Tech. Paper SPE8260) SPEJ Oct., 81 581-592

Michnick, M.J. *et al.*: *Characterization of Petroleum Sulfonates by a Non-Aqueous Titration Method*, (Tech. Paper SPE9000) SPEJ Dec., 81 771-778

Michnick, M.J. *et al.*: *Correlation of Gelation Times for Polymer Solutions Used as Sweep Improvement Agents*, (Tech. Paper SPE8419) SPEJ Apr., 81 229-235

Miska, S. and **Skalle, P.**: *Theoretical Description of a New Method of Optimal Program Design*, (Tech. Paper SPE8753) SPEJ Aug., 81 425-434

Monash, E.A. *et al.*: *Modeling Natural Gas Reservoirs - A Simple Model*, (Tech. Paper SPE9024) SPEJ Oct., 81 521-526

Moore, D.W. *et al.*: *Analysis of Two-Phase Tests in Large-Diameter Flow Lines in Prudhoe Bay Field*, (Transaction SPE8305) SPEJ June, 81 363-378

Moran, J.H. and **Papaconstantinou, C.M.**: *A Novel Dynamic Measurement of Permeability*, (Tech. Paper SPE9095) SPEJ Dec., 81 670-678

N

Nagarajan, R. *et al.*: *Flow Characteristics of Surfactant Solutions in Porous Media and Their Rolein Permeability Modifications*, (Tech. Paper SPE9930) SPEJ Dec., 81 709-720

Nghiem, L.X. *et al.*: *Compositional Modeling With an Equation of State*, (Tech. Paper SPE9306) SPEJ Dec., 81 687-698

Nolen, J.S. *et al.*: *Application of Vector Processors To Solve Finite Difference Equations*, (Tech. Paper SPE7675) SPEJ Aug., 81 447-453

Norton, C.J. *et al.*: *Xanthan Biopolymer Semipilot Fermentation*, (Tech. Paper SPE8420) SPEJ Apr., 81 205-217

O

Orr, F.M., Jr. *et al.*: *Phase Behavior of CO2 and Crude Oil in Low-Temperature Reservoirs*, (Tech. Paper SPE8813) SPEJ Aug., 81 480-492

P

Papaconstantinou, C.M. and **Moran, J.H.**: *A Novel Dynamic Measurement of Permeability*, (Tech. Paper SPE9095) SPEJ Dec., 81 670-678

Peters, E.J. and **Flock, D.L.**: *The Onset of Instability During Two-Phase Immiscible Displacement in Porous Media*, (Tech. Paper SPE8371) SPEJ Apr., 81 249-258

Petrick, C.B. and **Bae, J.H.**: *Phase Behavior and Properties of a Petroleum Sulfonate Blend*, (Tech. Paper SPE8985) SPEJ Oct., 81 573-580

Phelps, C.H.K. *et al.*: *Microemulsion Phase Behavior - Observations, Thermodynamic Essentials, Mathematical Simulation*, (Tech. Paper SPE9351) SPEJ Dec., 81 747-762

Prats, M.: *Effect of Burial History on the Subsurface Horizontal Stresses of Formations Having Different Material Properties*, (Tech. Paper SPE9017) SPEJ Dec., 81 658-662

R

Raghavan, R. *et al.*: *Analysis of Pressure Data From Vertically Fractured Injection Wells*, (Transaction SPE8282) SPEJ Feb., 81 5-20

Ramey, H.J., Jr. and **Ehlig-Economides, C.A.**: *Pressure Buildup for Wells Produced at a Constant Pressure*, (Transaction SPE7985) SPEJ Feb., 81 105-114

Ramey, H.J., Jr. *et al.*: *Decline Curve Analysis Using Type Curves for Two-Porosity Systems*, (Transaction SPE9292) SPEJ June, 81 354-362

Ramey, H.J., Jr. *et al.*: *Effect of Non-Darcy Flow on the Constant-Pressure Production of Fractured Wells*, (Transaction SPE9344) SPEJ June, 81 390-400

Ramey, H.J., Jr. and **Ehlig-Economides, C.A.**: *Transient Rate Decline Analysis for Wells Produced at Constant Pressure*, (Transaction SPE8387) SPEJ Feb., 81 98-104

Reynolds, A.C., Jr. *et al.*: *Analysis of Pressure Data From Vertically Fractured Injection Wells*, (Transaction SPE8282) SPEJ Feb., 81 5-20

Risnes, R. and **Bratli, R.K.**: *Stability and Failure of Sand Arches*, (Tech. Paper SPE8427) SPEJ Apr., 81 236-248

Ruckenstein, E.: *Evaluation of the Interfacial Tension Between a Microemulsion and the Excess Dispersed Phase*, (Tech. Paper SPE9281) SPEJ Oct., 81 593-602

Runnels, J.H. and **Engle, C.J.**: *Smackover Nacatoch Crude Oil - Separation of Surfactant Precursors and Their Effect on the Crude*, (Tech. Paper SPE8733) SPEJ Aug., 81 493-499

S

Salter, S.J. and **Meyers, K.O.**: *The Effect of Oil/Brine Ratio on Surfactant Adsorption From Microemulsion*, (Tech. Paper SPE8989) SPEJ Aug., 81 500-512

Saylor, P.E.: *Richardson's Iteration With Dynamic Parameters and the SIP Incomplete Factorization for the Solution of Linear Systems of Equations*, (Tech. Paper SPE7686) SPEJ Dec., 81 699-708

Sayyouh, M.H.M. *et al.*: *Rate Effects in Tertiary Micellar Flooding of Bradford Crude Oil*, (Tech. Paper SPE7639) SPEJ Aug., 81 469-479

Schechter, R.S. *et al.*: *Theoretical and Experimental Studies of Sandstone Acidizing*, (Transaction SPE6607) SPEJ Feb., 81 30-42

Schmidt, Z. *et al.*: *Analysis of Two-Phase Tests in Large-Diameter Flow Lines in Prudhoe Bay Field*, (Transaction SPE8305) SPEJ June, 81 363-378

Schultz, W.E. and **Smith, H.D., Jr.**: *Computer Simulation of Two Nuclear Well Logging Methods*, (Transaction SPE7432) SPEJ June, 81 315-322

Scriven, L.E. *et al.*: *Microemulsion Phase Behavior - Observations, Thermodynamic Essentials, Mathematical Simulation*, (Tech. Paper SPE9351) SPEJ Dec., 81 747-762

Seinfeld, J.H. and **Dogru, A.H.**: *Comparison of Sensitivity Coefficient Calculation Methods in Automatic History Matching*, (Tech. Paper SPE8251) SPEJ Oct., 81 551-557

Seitzer, W.H. and **Lovell, P.F.**: *Flow Properties of Utah Shale Oils*, (Tech. Paper SPE9500) SPEJ Dec., 81 679-686

Shaffer, R.J. *et al.*: *Effects of Various Parameters on Hydraulic Fracturing Geometry*, (Tech. Paper SPE8942) SPEJ Aug., 81 435-443

Shah, K.D. *et al.*: *Phase Boundaries of Microemulsion Systems as a Way of Characterizing Hydrocarbon Mixtures*, (Tech. Paper SPE8986) SPEJ Dec., 81 763-770

Sharma, J.N. and **Dean, R.G.**: *Second-Order Directional Seas and Associated Wave Forces*, (Transaction SPE8584) SPEJ Feb., 81 129-140

Sifferman, T.R. and **Greenkorn, R.A.**: *Drag Reduction in Three Distinctly Different Fluid Systems*, (Tech. Paper SPE8722) SPEJ Dec., 81 663-669

Silberberg, I.H. *et al.*: *Theoretical and Experimental Studies of Sandstone Acidizing*, (Transaction SPE6607) SPEJ Feb., 81 30-42

Skalle, P. and **Miska, S.**: *Theoretical Description of a New Method of Optimal Program Design*, (Tech. Paper SPE8753) SPEJ Aug., 81 425-434

Smith, H.D., Jr. and **Schultz, W.E.**: *Computer Simulation of Two Nuclear Well Logging Methods*, (Transaction SPE7432) SPEJ June, 81 315-322

Stahl, C.D. *et al.*: *Rate Effects in Tertiary Micellar Flooding of Bradford Crude Oil*, (Tech. Paper SPE7639) SPEJ Aug., 81 469-479

Stegemeier, G.L. *et al.*: *Simulation and Performance Prediction of a Large-Scale Surfactant/Polymer Project*, (Tech. Paper SPE7471) SPEJ Dec., 81 731-739

Swift, G.W. *et al.*: *Unified Analysis of Drawdown and Buildup Data for Physical Model Reservoir Flow With Producing Well at Center of Vertical Fracture*, (Transaction SPE9402) SPEJ June, 81 379-389

T

Terry, R.E. *et al.*: *Phase Boundaries of Microemulsion Systems as a Way of Characterizing Hydrocarbon Mixtures*, (Tech. Paper SPE8986) SPEJ Dec., 81 763-770

Terry, R.E. *et al.*: *Correlation of Gelation Times for Polymer Solutions Used as Sweep Improvement Agents*, (Tech. Paper SPE8419) SPEJ Apr., 81 229-235

Thomas, C.P. *et al.*: *Formulation of a General Multiphase, Multicomponent Chemical Flood Model*, (Transaction SPE6727) SPEJ Feb., 81 63-76

Trimble, R.H. and **McDonald, A.E.**: *A Strongly Coupled, Fully Implicit, Three-Dimensional, Three-Phase Well Coning Model*, (Tech. Paper SPE5738) SPEJ Aug., 81 454-458

Tyssee, D.A. and **Vetter, O.J.**: *Chemical Characterization Problems of Water-Soluble Polymers*, (Tech. Paper SPE8977) SPEJ Dec., 81 721-730

V

Vetter, O.J. and **Tyssee, D.A.**: *Chemical Characterization Problems of Water-Soluble Polymers*, (Tech. Paper SPE8977) SPEJ Dec., 81 721-730

Vinatieri, J.E. and **Fleming, P.D., III**: *Multivariate Optimization of Surfactant Systems for Tertiary Oil Recovery*, (Transaction SPE7582) SPEJ Feb., 81 77-88

Vinsome, P.K. and **Anthony, D.K.A.**: *One Approach to the Grid Orientation Problem in Reservoir Simulation*, (Forum SPE8247) SPEJ Apr., 81 160-161

Voss, K.R. *et al.*: *Characterization of Petroleum Sulfonates by a Non-Aqueous Titration Method*, (Tech. Paper SPE9000) SPEJ Dec., 81 771-778

W

Ward, J.S. and **Martin, F.D.**: *Prediction of Viscosity for Partially Hydrolyzed Polyacrylamide Solutions in the Presence of Calcium and Magnesium Ions*, (Tech. Paper SPE8978) SPEJ Oct., 81 623-631

Watts, J.W., III: *A Conjugate Gradient-Truncated Direct Method for the Iterative Solution of the Reservoir Simulation Pressure Equation*, (Transaction SPE8252) SPEJ June, 81 345-353

Welty, D.H. and **Meijerink, J.A.**: *An Improved Formulation and Solution Method for Single-Phase Flow Problems*, (Transaction SPE7685) SPEJ June, 81 289-295

Willhite, G.P. *et al.*: *Phase Boundaries of Microemulsion Systems as a Way of Characterizing Hydrocarbon Mixtures*, (Tech. Paper SPE8986) SPEJ Dec., 81 763-770

Willhite, G.P. *et al.*: *Investigation of Three-Phase Regions Formed by Petroleum Sulfonate Systems*, (Tech. Paper SPE8260) SPEJ Oct., 81 581-592

Willhite, G.P. *et al.*: *Characterization of Petroleum Sulfonates by a Non-Aqueous Titration Method*, (Tech. Paper SPE9000) SPEJ Dec., 81 771-778

Willhite, G.P. *et al.*: *Correlation of Gelation Times for Polymer Solutions Used as Sweep Improvement Agents*, (Tech. Paper SPE8419) SPEJ Apr., 81 229-235

Williamson, A.S. and **Chappelear, J.E.**: *Representing Wells in Numerical Reservoir Simulation: Part 2 - Implementation*, (Transaction SPE9770) SPEJ June, 81 339-344

Williamson, A.S. and **Chappelear, J.E.**: *Representing Wells in Numerical Reservoir Simulation: Part 1 - Theory*, (Transaction SPE7697) SPEJ June, 81 323-338

Winter, W.K. *et al.*: *Formulation of a General Multiphase, Multicomponent Chemical Flood Model*, (Transaction SPE6727) SPEJ Feb., 81 63-76

Wong, S.H. *et al.*: *Laboratory Studies of Gasification Kinetics for Western Coals Under Conditions Expected During In-Situ Combustion*, (Tech. Paper SPE7527) SPEJ Dec., 81 740-746

Y

Yellig, W.F. and **Leach, M.P.**: *Compositional Model Studies - CO2 Oil-Displacement Mechanisms*, (Transaction SPE8368) SPEJ Feb., 81 89-97

Yortsos, Y.C. and **Gavalas, G.R.**: *Analytical Modeling of Oil Recovery by Steam Injection: Part 1 - Upper Bounds*, (Tech. Paper SPE8148) SPEJ Apr., 81 162-178

Yortsos, Y.C. and **Gavalas, G.R.**: *Analytical Modeling of Oil Recovery by Steam Injection: Part II - Asymptotic and Approximate Solutions*, (Tech. Paper SPE8149) SPEJ Apr., 81 179-190

Young, J.E. *et al.*: *Laboratory Studies of Gasification Kinetics for Western Coals Under Conditions Expected During In-Situ Combustion*, (Tech. Paper SPE7527) SPEJ Dec., 81 740-746

Young, L.C.: *A Finite-Element Method for Reservoir Simulation*, (Transaction SPE7413) SPEJ Feb., 81 115-128

Yu, A.D. *et al.*: *Phase Behavior of CO2 and Crude Oil in Low-Temperature Reservoirs*, (Tech. Paper SPE8813) SPEJ Aug., 81 480-492

Z

Ziegler, V.M. and **Handy, L.L.**: *Effect of Temperature on Surfactant Adsorption in Porous Media*, (Tech. Paper SPE8264) SPEJ Apr., 81 218-228

Subject Index

Acidizing–Compression

A

Acidizing
Evaluation of acid-gelling agents: use in well stimulation, (Tech. Paper SPE 9384) SPEJ Aug. 81, 415-424
Matrix: theoretical and experimental studies of sandstone, (Transaction SPE 6607) SPEJ Feb. 81, 30-42

Additives
Chemical: chemistry, physical nature, and rheology of aqueous stimulation foams, (Tech. Paper SPE 9530) SPEJ Aug. 81, 410-414

Adsorption
Surfactant: effect of temperature; porous media, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Surfactant: from microemulsion; effect of oil/brine ratio, (Tech. Paper SPE 8989) SPEJ Aug. 81, 500-512

Alaska
Prudhoe Bay field: analysis of two-phase tests in large-diameter flow lines, (Transaction SPE 8305) SPEJ Jun. 81, 363-378

Algorithm
Automatic history matching: comparison of sensitivity coefficient calculation methods, (Tech. Paper SPE 8251) SPEJ Oct. 81, 551-557
Linearization: well coning model; strongly coupled, fully implicit, three-dimensional, three-phase type, (Tech. Paper SPE 5738) SPEJ Aug. 81, 454-458
Modeling: performance of linear algebra codes on the CRAY-1, (Tech. Paper SPE 7671) SPEJ Oct. 81, 558-564

Anisotropic Reservoirs
Aquifer systems: elliptic and anisotropic; unsteady-state water influx in, (Transaction SPE 8748) SPEJ Jun. 81, 309-314
Aquifer systems: elliptic and anisotropic; unsteady-state water influx in; author's reply to discussion of, (Tech. Paper SPE 10583) SPEJ Oct. 81, 632
Aquifer systems: elliptic and anisotropic; unsteady-state water influx in; discussion of, (Discussion SPE 10558) SPEJ Oct. 81, 632

Annulus
Eccentric: accurate slot-flow model for non-Newtonian fluid flow through, (Tech. Paper SPE 9447) SPEJ Oct. 81, 565-572

Aquifers
Reservoir systems: elliptic and anisotropic; unsteady-state water influx in, (Transaction SPE 8748) SPEJ Jun. 81, 309-314
Reservoir systems: elliptic and anisotropic; unsteady-state water influx in; author's reply to discussion of, (Tech. Paper SPE 10583) SPEJ Oct. 81, 632
Reservoir systems: elliptic and anisotropic; unsteady-state water influx in; discussion of, (Discussion SPE 10558) SPEJ Oct. 81, 632

Arkansas
Smackover Nacatoch crude oil: separation of surfactant precursors and their effect on the crude, (Tech. Paper SPE 8733) SPEJ Aug. 81, 493-499

Austin Chalk
Deformation: under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50

B

Biopolymer
Xanthan: Semipilot fermentation, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217

Boundary Conditions
Finite no-flow outer boundary: decline curve analysis using type curves; two-porosity system, (Transaction SPE 9292) SPEJ Jun. 81, 354-362
Upper bounds: analytical modeling of oil recovery by steam injection, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178

Bradford Field
See Pennsylvania, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479

Brines
Force coefficients: from wave project I and II data including free surface effects, (Tech. Paper SPE 9103) SPEJ Dec. 81, 779-786

C

Calcium
Ions: prediction of viscosity for partially hydrolyzed polyacrylamide solutions in presence of, (Tech. Paper SPE 8978) SPEJ Oct. 81, 623-631

Carbon Dioxide
And crude oil: phase behavior in low-temperature reservoirs, (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492
Injection: compositional modeling with an equation of state, (Tech. Paper SPE 9306) SPEJ Dec. 81, 687-698
Oil-displacement mechanisms: compositional model studies, (Transaction SPE 8368) SPEJ Feb. 81, 89-97

Chemical Flooding
Formulation of a general multiphase, multicomponent model, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Large-scale surfactant/polymer project: simulation and performance prediction, (Tech. Paper SPE 7471) SPEJ Dec. 81, 731-739
Micellar system: polymer/surfactant transport, (Tech. Paper SPE 9354) SPEJ Oct. 81, 603-612
Porous media: effect of temperature on surfactant adsorption, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Surfactant adsorption from microemulsion: effect of oil/brine ratio, (Tech. Paper SPE 8989) SPEJ Aug. 81, 500-512

Chemicals
Characterization problems of water-soluble polymers, (Tech. Paper SPE 8977) SPEJ Dec. 81, 721-730

Coals
Western: laboratory studies of gasification kinetics; under conditions expected during in-situ, (Tech. Paper SPE 7527) SPEJ Dec. 81, 740-746

Coefficients
Force: from wave project I and II data including free surface effects, (Tech. Paper SPE 9103) SPEJ Dec. 81, 779-786
Sensitivity: comparison of calculation methods in automatic history matching, (Tech. Paper SPE 8251) SPEJ Oct. 81, 551-557

Combustion
In-situ: western coals; laboratory studies of gasification kinetics, (Tech. Paper SPE 7527) SPEJ Dec. 81, 740-746

Composite Reservoir
Pressure transient behavior of non-Newtonian/Newtonian fluids, (Tech. Paper SPE 9401) SPEJ Apr. 81, 271-280

Compression
Tests: deformation of chalk; under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50

Computers
Program: pressure matching; multiwell variable-rate well test analysis, (Forum SPE 8392) SPEJ Aug. 81, 444-446
Storage: Richardson's iteration with dynamic parameters; and SIP incomplete factorization for the solution of linear systems of equations, (Tech. Paper SPE 7686) SPEJ Dec. 81, 699-708
Time reduction through application of vector processors: solving finite difference equations, (Tech. Paper SPE 7675) SPEJ Aug. 81, 447-453
Conductivity
Fracture: effect of non-Darcy flow on constant-pressure production of gas wells, (Transaction SPE 9344) SPEJ Jun. 81, 390-400
Coning
Well: strongly coupled, fully implicit, three-dimensional, three-phase model, (Tech. Paper SPE 5738) SPEJ Aug. 81, 454-458
Cores
Water-saturated: dynamic measurement of permeability, (Tech. Paper SPE 9095) SPEJ Dec. 81, 670-678
Correlations
Gelation times for polymer solutions: used as sweep improvement agents, (Tech. Paper SPE 8419) SPEJ Apr. 81, 229-235
Pressure loss: analysis of two-phase tests in large-diameter flow lines; Prudhoe Bay field, Alaska, (Transaction SPE 8305) SPEJ Jun. 81, 363-378
Three-phase composition: investigation of three-phase regions formed by petroleum sulfonate systems, (Tech. Paper SPE 8260) SPEJ Oct. 81, 581-592
Crude Oils
And CO2: phase behavior in low-temperature reservoirs, (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492
Bradford: rate effects in tertiary micellar flooding, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479
Characterizing by phase boundaries of microemulsion systems, (Tech. Paper SPE 8986) SPEJ Dec. 81, 763-770
Smackover Nacatoch: separation of surfactant precursors and their effect on the crude, (Tech. Paper SPE 8733) SPEJ Aug. 81, 493-499

D

Data
Drawdown and buildup: unified analysis for physical model reservoir flow; producing well at center of vertical fracture, (Transaction SPE 9402) SPEJ Jun. 81, 379-389
Decline Curves
Analysis using type curves: two-porosity system, (Transaction SPE 9292) SPEJ Jun. 81, 354-362
Analysis: transient rate; for wells produced at constant pressure, (Transaction SPE 8387) SPEJ Feb. 81, 98-104
Deformation
Chalk: under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Degradation
Fracture polymer: chemical characterization problems, (Tech. Paper SPE 8977) SPEJ Dec. 81, 721-730
Design
Optimal hydraulic drilling program: theoretical description of new method, (Tech. Paper SPE 8753) SPEJ Aug. 81, 425-434
Platform: force coefficients from wave project I and II data including free surface effects, (Tech. Paper SPE 9103) SPEJ Dec. 81, 779-786
Dispersion
Taylor's: in stratified porous media, (Tech. Paper SPE 8436) SPEJ Aug. 81, 459-468
Displacement Mechanism
CO2-oil system: compositional model studies, (Transaction SPE 8368) SPEJ Feb. 81, 89-97
Multicomponent, multiphase: application of theory to three-component, two-phase surfactant flooding, (Tech. Paper SPE 8373) SPEJ Apr. 81, 191-204
Porous media: theory of multicomponent, multiphase displacement, (Transaction SPE 8372) SPEJ Feb. 81, 51-62
Unsteady-state flow: interpreting relative permeability and wettability from test measurements, (Transaction SPE 9403) SPEJ Jun. 81, 296-308
Drag Reduction
In three distinctly different fluid systems, (Tech. Paper SPE 8722) SPEJ Dec. 81, 663-669
Drilling
Directional wells: non-Newtonian fluid flow through eccentric annuli; an accurate slot-flow model, (Tech. Paper SPE 9447) SPEJ Oct. 81, 565-572
Hydraulics: optimal program design; theoretical description of a new method, (Tech. Paper SPE 8753) SPEJ Aug. 81, 425-434
Dynamics
Gas storage: identified models for, (Tech. Paper SPE 8862) SPEJ Apr. 81, 151-159
Measurement: of permeability, (Tech. Paper SPE 9095) SPEJ Dec. 81, 670-678
Of hydraulic fracturing: effects of various parameters on geometry, (Tech. Paper SPE 8942) SPEJ Aug. 81, 435-443
Parameters: in Richardson's iteration; SIP incomplete factorization for solution of linear systems of equations, (Tech. Paper SPE 7686) SPEJ Dec. 81, 699-708

E

Economics
Mineral sources: how policies affect rates of recovery, (Tech. Paper SPE 9553) SPEJ Dec. 81, 645-657
Ekofisk Field
See North Sea, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Enhanced Recovery
CO2 oil-displacement mechanisms: compositional model studies, (Transaction SPE 8368) SPEJ Feb. 81, 89-97
Oil: Maraflood process; xanthan biopolymer semipilot fermentation, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217
Porous media: theory of multicomponent and multiphase displacement, (Transaction SPE 8372) SPEJ Feb. 81, 51-62
Surfactant flooding: application of theory of multicomponent, multiphase displacement to three-component, two-phase system, (Tech. Paper SPE 8373) SPEJ Apr. 81, 191-204
Equations of State
Compositional modeling with, (Tech. Paper SPE 9306) SPEJ Dec. 81, 687-698
Equilibrium
, (Tech. Paper SPE 8393) SPEJ Oct. 81, 535-550
Equipment
CRAY-1: performance of linear algebra codes on, (Tech. Paper SPE 7671) SPEJ Oct. 81, 558-564
Pumping: optimal design; theoretical description of new method, (Tech. Paper SPE 8753) SPEJ Aug. 81, 425-434
Vector processors: application to solve finite difference equations, (Tech. Paper SPE 7675) SPEJ Aug. 81, 447-453
Equivalent Weight
Petroleum sulfonates: characterization by non-aqueous titration method, (Tech. Paper SPE 9000) SPEJ Dec. 81, 771-778
Evaluations
Acid-gelling agents: use in well stimulation, (Tech. Paper SPE 9384) SPEJ Aug. 81, 415-424
Of interfacial tension: between a microemulsion and the excess dispersed phase, (Tech. Paper SPE 9281) SPEJ Oct. 81, 593-602

F

Fermentation
Xanthan biopolymer semipilot, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217
Field Tests
Injection wells; vertically fractured; analysis of pressure data, (Transaction SPE 8282) SPEJ Feb. 81, 5-20
Reservoir simulation pressure equation: conjugate gradient-truncated direct method for the iterative solution, (Transaction SPE 8252) SPEJ Jun. 81, 345-353
Two-phase flow: analysis in large-diameter flow lines; Prudhoe Bay field, Alaska, (Transaction SPE 8305) SPEJ Jun. 81, 363-378
Fingering
Viscous: onset of instability during two-phase immiscible displacement in porous media, (Tech. Paper SPE 8371) SPEJ Apr. 81, 249-258
Finite Difference Method
Application of vector processors to solve equations, (Tech. Paper SPE 7675) SPEJ Aug. 81, 447-453
Improved formulation and solution for single-phase flow problems, (Transaction SPE 7685) SPEJ Jun. 81, 289-295
Finite Element Method
For reservoir simulation, (Transaction SPE 7413) SPEJ Feb. 81, 115-128
Flocculants
Unsteady-state displacement: interpreting relative permeability and wettability from test measurements, (Transaction SPE 9403) SPEJ Jun. 81, 296-308
Flow Properties
Of Utah shale oils, (Tech. Paper SPE 9500) SPEJ Dec. 81, 679-686
Of surfactant solutions in porous media: their role in permeability modification, (Tech. Paper SPE 9930) SPEJ Dec. 81, 709-720
Petroleum sulfonate blend, (Tech. Paper SPE 8985) SPEJ Oct. 81, 573-580
Flow Tests
Two-phase: analysis in large-diameter flow lines; Prudhoe Bay field, Alaska, (Transaction SPE 8305) SPEJ Jun. 81, 363-378
Fluid Flow
Characteristics of surfactant solutions in porous media: role in permeability modification, (Tech. Paper SPE 9930) SPEJ Dec. 81, 709-720
Drag reduction: in three distinctly different fluid systems, (Tech. Paper SPE 8722) SPEJ Dec. 81, 663-669
Multiphase and multicomponent: formulation of a general chemical flood model, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Multiphase and multicomponent: theory of displacement in porous media, (Transaction SPE 8372) SPEJ Feb. 81, 51-62
Non-Darcy: effect on constant-pressure production of fractured gas wells, (Transaction SPE 9344) SPEJ Jun. 81, 390-400
Non-Newtonian: through eccentric annuli; an accurate slot-flow model, (Tech. Paper SPE 9447) SPEJ Oct. 81, 565-572
Petroleum sulfonate blend: phase behavior and properties of, (Tech. Paper SPE 8985) SPEJ Oct. 81, 573-580
Petroleum sulfonate systems: investigation of three-phase regions formed by, (Tech. Paper SPE 8260) SPEJ Oct. 81, 581-592
Polymer solutions used as sweep improvement agents: correlation of gelation times, (Tech. Paper SPE 8419) SPEJ Apr. 81, 229-235
Reservoir simulation: implementation of representing wells numerically, (Transaction SPE 9770) SPEJ Jun. 81, 339-344
Reservoir simulation: theory involved in representing wells, (Transaction SPE 7697) SPEJ Jun. 81, 323-338
Single-phase: improved formulation and solution method for problems, (Transaction SPE 7685) SPEJ Jun. 81, 289-295
Three-component, two-phase surfactant flooding: application of theory of multicomponent, multiphase displacement, (Tech. Paper SPE 8373) SPEJ Apr. 81, 191-204
Two-phase: analysis of tests in large-diameter flow lines: Prudhoe Bay field, Alaska, (Transaction SPE 8305) SPEJ Jun. 81, 363-378
Unsteady-state water influx: in elliptic and anisotropic reservoir/aquifer systems, (Transaction SPE 8748) SPEJ Jun. 81, 309-314
Unsteady-state water influx: in elliptic and anisotropic reservoir/aquifer systems; author's reply to discussion of, (Tech. Paper SPE 10583) SPEJ Oct. 81, 632
Unsteady-state water influx: in elliptic and anisotropic reservoir/aquifer systems; discussion of, (Discussion SPE 10558) SPEJ Oct. 81, 632
Utah shale oils, (Tech. Paper SPE 9500) SPEJ Dec. 81, 679-686
Fluid Mechanics
Drag reduction: in three distinctly different fluids, (Tech. Paper SPE 8722) SPEJ Dec. 81, 663-669
Fluid Properties
Required for simulation of thermal processes: experimental and theoretical studies, (Tech. Paper SPE 8393) SPEJ Oct. 81, 535-550
Foams
Stimulation: chemistry, physical nature, and rheology of aqueous solutions, (Tech. Paper SPE 9530) SPEJ Aug. 81, 410-414
Formation Evaluation
Formations with different material properties: effect of burial history on subsurface horizontal stresses, (Tech. Paper SPE 9017) SPEJ Dec. 81, 658-662
Formation Fractures
Containment: effect of burial history on subsurface horizontal stresses of formations having different material properties, (Tech. Paper SPE 9017) SPEJ Dec. 81, 658-662
Hydraulic: effects of friction on growth near unbonded interfaces in rocks, (Transaction SPE 8347) SPEJ Feb. 81, 21-29
Naturally occurring: decline curve analysis using type curves; two-porosity system, (Transaction SPE 9292) SPEJ Jun. 81, 354-362
Vertical: analysis of pressure data from injection wells, (Transaction SPE 8282) SPEJ Feb. 81, 5-20
Vertical: unified analysis of drawdown and buildup data for physical model reservoir flow; producing well at center of fracture, (Transaction SPE 9402) SPEJ Jun. 81, 379-389
Formation Fracturing
Hydraulic: chemical characterization problems of water-soluble polymers, (Tech. Paper SPE 8977) SPEJ Dec. 81, 721-730
Hydraulic: effects of various parameters on geometry, (Tech. Paper SPE 8942) SPEJ Aug. 81, 435-443
Friction
Effects on hydraulic fracture growth: near unbonded interfaces in rocks, (Transaction SPE 8347) SPEJ Feb. 81, 21-29

G

Gamma Ray Logging
Spectral log: computer simulation of, (Transaction SPE 7432) SPEJ Jun. 81, 315-322
Gas Reservoirs
Fractured wells: effect of non-Darcy flow on constant-pressure production, (Transaction SPE 9344) SPEJ Jun. 81, 390-400
Modeling with simple model, (Tech. Paper SPE 9024) SPEJ Oct. 81, 521-526
Physical model of flow: producing well at center of vertical fracture; unified analysis of drawdown and buildup data, (Transaction SPE 9402) SPEJ Jun. 81, 379-389
Gas Storage
Dynamics: identified models for, (Tech. Paper SPE 8862) SPEJ Apr. 81, 151-159

Gasification
Kinetics: western coals; laboratory studies under conditions expected during in-situ combustion, (Tech. Paper SPE 7527) SPEJ Dec. 81, 740-746
Gelling Agents
For hydrochloric acid: evaluation for use in well stimulation, (Tech. Paper SPE 9384) SPEJ Aug. 81, 415-424
Polymer solutions; used for sweep improvement; correlation of gelation times, (Tech. Paper SPE 8419) SPEJ Apr. 81, 229-235
Geometry
Hydraulic fracturing: effects of various parameters, (Tech. Paper SPE 8942) SPEJ Aug. 81, 435-443
Geothermal Wells
Applications: comprehensive wellbore steam/water flow model, (Tech. Paper SPE 7966) SPEJ Oct. 81, 527-534
Government
Policies: how they affect rates of recovery from mineral sources, (Tech. Paper SPE 9553) SPEJ Dec. 81, 645-657
Gulf Coast
Austin chalk: deformation under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Gulf of Mexico
Force coefficients: from wave project I and II data including free surface effects, (Tech. Paper SPE 9103) SPEJ Dec. 81, 779-786

H

Heat Transfer
Considerations: in analytical modeling of oil recovery by steam injection; asymptotic and approximate solutions, (Tech. Paper SPE 8149) SPEJ Apr. 81, 179-190
Considerations: in analytical modeling of oil recovery by steam injection; upper bounds, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178
Heterogeneity
Reservoir: Taylor's dispersion in porous media, (Tech. Paper SPE 8436) SPEJ Aug. 81, 459-468
History
Burial: effect on subsurface horizontal stresses of formations having different material properties, (Tech. Paper SPE 9017) SPEJ Dec. 81, 658-662
Matching: automatic; comparison of sensitivity coefficient calculation methods, (Tech. Paper SPE 8251) SPEJ Oct. 81, 551-557
Hydraulic System
Optimal drilling program design: theoretical description of a new method, (Tech. Paper SPE 8753) SPEJ Aug. 81, 425-434
Hydrocarbons
Mixtures: phase boundaries of microemulsion systems a way of characterizing, (Tech. Paper SPE 8986) SPEJ Dec. 81, 763-770
Hydrochloric Acid
Hydrofluoric acid mixture: sandstone acidizing; theoretical and experimental studies, (Transaction SPE 6607) SPEJ Feb. 81, 30-42
Hydrofluoric Acid
Hydrochloric acid mixture: sandstone acidizing; theoretical and experimental studies, (Transaction SPE 6607) SPEJ Feb. 81, 30-42

I

Immiscible Displacement
Two-phase: onset of instability; porous media, (Tech. Paper SPE 8371) SPEJ Apr. 81, 249-258
Implementation
Representing wells in numerical reservoir simulation, (Transaction SPE 9770) SPEJ Jun. 81, 339-344
Injection
CO2: compositional modeling with an equation of state, (Tech. Paper SPE 9306) SPEJ Dec. 81, 687-698
Steam: analytical modeling of oil recovery: asymptotic and approximate solutions, (Tech. Paper SPE 8149) SPEJ Apr. 81, 179-190
Steam: analytical modeling of oil recovery: upper bounds, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178
Injection Wells
Vertically fracture: analysis of pressure data, (Transaction SPE 8282) SPEJ Feb. 81, 5-20
Instability
Onset: during two-phase immiscible displacement; porous media, (Tech. Paper SPE 8371) SPEJ Apr. 81, 249-258
Instrumentation
Measuring force coefficients: fr wave project I and II data including free surface effects, (Tech. Paper SPE 9103) SPEJ Dec. 81, 779-786
Interfaces
Well-bonded: hydraulic fracturing process; effects of various parameters on geometry, (Tech. Paper SPE 8942) SPEJ Aug. 81, 435-443
Interfacial Tension
Between a microemulsion and the excess dispersed phase: evaluation of, (Tech. Paper SPE 9281) SPEJ Oct. 81, 593-602
Surfactant systems: multivariate optimization for tertiary oil recovery, (Transaction SPE 7582) SPEJ Feb. 81, 77-88
Interpretation
Relative permeability and wettability: from unsteady-state displacement measurements, (Transaction SPE 9403) SPEJ Jun. 81, 296-308
Ion Exchange
Preflush performance: a finite-element method for reservoir simulation, (Transaction SPE 7413) SPEJ Feb. 81, 115-128
Iteration
Richardson's: with dynamic parameters: SIP incomplete factorization for solution of linear systems of equations, (Tech. Paper SPE 7686) SPEJ Dec. 81, 699-708
Solution of reservoir simulation pressure equation: conjugate gradient-truncated direct method (Transaction SPE 8252) SPEJ Jun. 81, 345-353

J

Jetting
Impact; optimal program design; theoretical description of a new method, (Tech. Paper SPE 8753) SPEJ Aug. 81, 425-434

K

Kinetics
Gasification: laboratory studies of western coals; under conditions expected during in-situ combustion, (Tech. Paper SPE 7527) SPEJ Dec. 81, 740-746

L

Laboratory Studies
Acid-gelling agents: evaluation for use in well stimulation, (Tech. Paper SPE 9384) SPEJ Aug. 81, 415-424
CO2 oil-displacement mechanisms: compositional model studies, (Transaction SPE 8368) SPEJ Feb. 81, 89-97
Deformation of chalk: under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Effects of friction on hydraulic fracture growth: near unbonded interfaces in rocks, (Transaction SPE 8347) SPEJ Feb. 81, 21-29

Flow characteristics of surfactant solutions: their role in permeability modification; porous media, (Tech. Paper SPE 9930) SPEJ Dec. 81, 709-720
Fluid properties required for simulation of thermal processes, (Tech. Paper SPE 8393) SPEJ Oct. 81, 535-550
Gasification kinetics for western coals: under conditions expected during in-situ combustion, (Tech. Paper SPE 7527) SPEJ Dec. 81, 740-746
Hydraulic fracturing geometry: effects of various parameters, (Tech. Paper SPE 8942) SPEJ Aug. 81, 435-443
Instability during two-phase immiscible displacement: onset in porous media, (Tech. Paper SPE 8371) SPEJ Apr. 81, 249-258
Microemulsion phase behavior: observations, thermodynamic essentials and mathematical simulation, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Mobility control: influence of polymer-molecule/wall interactions, (Tech. Paper SPE 9298) SPEJ Oct. 81, 613-622
Partially hydrolyzed polyacrylamide solutions: in presence of calcium and magnesium ions; prediction of viscosity for, (Tech. Paper SPE 8978) SPEJ Oct. 81, 623-631
Permeability: dynamic measurement of, (Tech. Paper SPE 9095) SPEJ Dec. 81, 670-678
Petroleum sulfonate blend: phase behavior and properties of, (Tech. Paper SPE 8985) SPEJ Oct. 81, 573-580
Phase boundaries of microemulsion systems: a way of characterizing hydrocarbon mixtures, (Tech. Paper SPE 8986) SPEJ Dec. 81, 763-770
Physical model reservoir flow: producing well at center of vertical fracture; unified analysis of drawdown and buildup data, (Transaction SPE 9402) SPEJ Jun. 81, 379-389
Polymer solutions used as sweep improvement agents: correlation of gelation times, (Tech. Paper SPE 8419) SPEJ Apr. 81, 229-235
Polymer/surfactant transport: in micellar flooding, (Tech. Paper SPE 9354) SPEJ Oct. 81, 603-612
Sand arches: stability and failure, (Tech. Paper SPE 8427) SPEJ Apr. 81, 236-248
Sandstone acidizing, (Transaction SPE 6607) SPEJ Feb. 81, 30-42
Smackover Nacatoch crude oil: separation of surfactant precursors and their effect on the crude, (Tech. Paper SPE 8733) SPEJ Aug. 81, 493-499
Stimulation foams: chemistry, physical nature, and rheology of aqueous solutions, (Tech. Paper SPE 9530) SPEJ Aug. 81, 410-414
Surfactant adsorption in porous media: effect of temperature, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Xanthan biopolymer semipilot fermentation, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217
petroleum sulfonates: characterization by non-aqueous titration method, (Tech. Paper SPE 9000) SPEJ Dec. 81, 771-778

Louisiana
Pressure buildup analysis: with wellbore phase redistribution, (Tech. Paper SPE 8206) SPEJ Apr. 81, 259-270

M

Magnesium
Ions: prediction of viscosity for partially hydrolyzed polyacrylamide solutions in presence of, (Tech. Paper SPE 8978) SPEJ Oct. 81, 623-631

Maljamar Field, See New Mexico
See New Mexico, (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492

Maraflood Process
Xanthan biopolymer semipilot fermentation, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217

Matrix
Interactive methods: to solve finite difference equations; applications of vector processors, (Tech. Paper SPE 7675) SPEJ Aug. 81, 447-453

Measurement
Dynamic: of permeability, (Tech. Paper SPE 9095) SPEJ Dec. 81, 670-678
Unsteady-state displacement: interpreting relative permeability and wettability, (Transaction SPE 9403) SPEJ Jun. 81, 296-308

Mechanical Properties
Of formations: effect of burial history on subsurface horizontal stresses, (Tech. Paper SPE 9017) SPEJ Dec. 81, 658-662

Micellar Systems
Large-scale surfactant/polymer project: simulation and performance prediction, (Tech. Paper SPE 7471) SPEJ Dec. 81, 731-739
Polymer/surfactant transport in flooding, (Tech. Paper SPE 9354) SPEJ Oct. 81, 603-612
Rate effects in tertiary flooding: Bradford crude oil, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479

Microemulsions
And the excess dispersed phase: evaluation of the interfacial tension between, (Tech. Paper SPE 9281) SPEJ Oct. 81, 593-602
Phase behavior: observations, thermodynamic essentials and mathematical simulation, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Phase boundaries a way of characterizing hydrocarbon mixtures, (Tech. Paper SPE 8986) SPEJ Dec. 81, 763-770
Surfactant adsorption from: effect of oil/brine ratio, (Tech. Paper SPE 8989) SPEJ Aug. 81, 500-512

Minerals
Matter: western coals; laboratory studies of gasification kinetics under conditions expected during in-situ combustion, (Tech. Paper SPE 7527) SPEJ Dec. 81, 740-746
Sources: how policies affect rates of recovery, (Tech. Paper SPE 9553) SPEJ Dec. 81, 645-657

Miscible Displacement
CO2 and crude oil: phase behavior in low-temperature reservoirs, (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492
Stratified porous media: Taylor's dispersion, (Tech. Paper SPE 8436) SPEJ Aug. 81, 459-468

Mixtures
Hydrocarbon: phase boundaries of microemulsion systems a way of characterizing, (Tech. Paper SPE 8986) SPEJ Dec. 81, 763-770

Mobility
Control: influence of polymer-molecule/wall interactions on, (Tech. Paper SPE 9298) SPEJ Oct. 81, 613-622
Control: rate effects in tertiary micellar flooding; Bradford crude oil, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479

Mobility Ratio
Adverse displacements: reservoir simulation; finite-element method, (Transaction SPE 7413) SPEJ Feb. 81, 115-128

Models
Accurate slot-flow: for non-Newtonian fluid flow through eccentric annuli, (Tech. Paper SPE 9447) SPEJ Oct. 81, 565-572
Analytical: implementation of representing wells in numerical reservoir simulation, (Transaction SPE 9770) SPEJ Jun. 81, 339-344
Analytical: oil recovery by steam injection; asymptotic and approximate solutions, (Tech. Paper SPE 8149) SPEJ Apr. 81, 179-190
Analytical: oil recovery by steam injection; upper bounds, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178
Analytical: reservoir simulation; theory involved in representing wells, (Transaction SPE 7697) SPEJ Jun. 81, 323-338
Capillary: theoretical and experimental studies of sandstone acidizing, (Transaction SPE 6607) SPEJ Feb. 81, 30-42
Chemical flood: formulation of a general multiphase, multicomponent type, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Compositional: with an equation of state, (Tech. Paper SPE 9306) SPEJ Dec. 81, 687-698

Deformation: subsurface horizontal stresses of formations having different material properties; effect of burial history, (Tech. Paper SPE 9017) SPEJ Dec. 81, 658-662
Fracture flow: effect of non-Darcy flow on constant-pressure production of gas wells, (Transaction SPE 9344) SPEJ Jun. 81, 390-400
Identified: for gas storage dynamics, (Tech. Paper SPE 8862) SPEJ Apr. 81, 151-159
Lumped parameter: modeling natural gas reservoirs, (Tech. Paper SPE 9024) SPEJ Oct. 81, 521-526
Mathematical: for single-phase flow problems; improved formulation and solution method, (Transaction SPE 7685) SPEJ Jun. 81, 289-295
Mathematical: non-Newtonian/Newtonian fluid composite reservoirs; pressure transient behavior, (Tech. Paper SPE 9401) SPEJ Apr. 81, 271-280
Mathematical: steam injection and geothermal applications; comprehensive wellbore steam/water flow model, (Tech. Paper SPE 7966) SPEJ Oct. 81, 527-534
Mathematical: two-porosity system; decline curve analysis using type curves, (Transaction SPE 9292) SPEJ Jun. 81, 354-362
Mechanistic slug: analysis of two-phase tests in large-diameter flow lines; Prudhoe Bay field, Alaska, (Transaction SPE 8305) SPEJ Jun. 81, 363-378
Nuclear well logs: computer simulation of two logging methods, (Transaction SPE 7432) SPEJ Jun. 81, 315-322
Phase behavior: microemulsions; observations, thermodynamic essentials, mathematical simulation, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Physical; of reservoir flow with producing well at center of vertical fracture; unified analysis of drawdown and buildup data, (Transaction SPE 9402) SPEJ Jun. 81, 379-389
Problem: Richardson's iteration with dynamic parameters; SIP incomplete factorization for solution of linear systems of equations, (Tech. Paper SPE 7686) SPEJ Dec. 81, 699-708
Stress in elastic material: stability and failure of sand arches, (Tech. Paper SPE 8427) SPEJ Apr. 81, 236-248
Theoretical: hydraulic fracturing geometry; effects of various parameters, (Tech. Paper SPE 8942) SPEJ Aug. 81, 435-443
Two-dimensional, three component, single phase: finite-element method for reservoir simulation, (Transaction SPE 7413) SPEJ Feb. 81, 115-128
Vertical cross-section: large-scale surfactant/polymer project; simulation and performance prediction, (Tech. Paper SPE 7471) SPEJ Dec. 81, 731-739
Well coning: strongly coupled, fully implicit, three-dimensional. three-phase type, (Tech. Paper SPE 5738) SPEJ Aug. 81, 454-458
Zeroth version: mineral sources; how policies affect rates of recovery, (Tech. Paper SPE 9553) SPEJ Dec. 81, 645-657

N

Natural Gas
Reservoirs: modeling with simple model, (Tech. Paper SPE 9024) SPEJ Oct. 81, 521-526
New Mexico
Maljamar field: phase behavior of CO2 and crude oil in low-temperature reservoirs, (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492
Newtonian Fluids
Composite reservoirs: pressure transient behavior of, (Tech. Paper SPE 9401) SPEJ Apr. 81, 271-280
Non-Newtonian Systems
Drag reduction: in three distinctly different fluids, (Tech. Paper SPE 8722) SPEJ Dec. 81, 663-669
Fluid flow through eccentric annuli: an accurate slot-flow model, (Tech. Paper SPE 9447) SPEJ Oct. 81, 565-572
North Burbank Unit
See Oklahoma, (Transaction SPE 7582) SPEJ Feb. 81, 77-88
North Sea
Ekofisk field: deformation of chalk; under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Nuclear Logging
Computer simulation of two borehole methods, (Transaction SPE 7432) SPEJ Jun. 81, 315-322
Numerical Solutions
Acidizing: sandstone studies, (Transaction SPE 6607) SPEJ Feb. 81, 30-42
Chemical flood model: formulation of a general multiphase, multicomponent type, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Compositional modeling with an equation of state, (Tech. Paper SPE 9306) SPEJ Dec. 81, 687-698
Compositional: CO2 oil-displacement mechanism studies, (Transaction SPE 8368) SPEJ Feb. 81, 89-97
Decline curve analysis using type curves: two-porosity system, (Transaction SPE 9292) SPEJ Jun. 81, 354-362
Dynamic measurement of permeability, (Tech. Paper SPE 9095) SPEJ Dec. 81, 670-678
Evaluation of interfacial tension: between a microemulsion and the excess dispersed phase, (Tech. Paper SPE 9281) SPEJ Oct. 81, 593-602
Finite difference equations: application of vector processors, (Tech. Paper SPE 7675) SPEJ Aug. 81, 447-453
Force coefficients: from wave project I and II data including free surface effects, (Tech. Paper SPE 9103) SPEJ Dec. 81, 779-786
History matching: automatic; comparison of sensitivity coefficient calculation methods, (Tech. Paper SPE 8251) SPEJ Oct. 81, 551-557
Identified models for gas storage dynamics, (Tech. Paper SPE 8862) SPEJ Apr. 81, 151-159
Injection wells: vertically fractured; analysis of pressure data, (Transaction SPE 8282) SPEJ Feb. 81, 5-20
Linear algebra codes: performance on the CRAY-1, (Tech. Paper SPE 7671) SPEJ Oct. 81, 558-564
Microemulsion phase behavior: observations, thermodynamic essentials and mathematical simulation, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Modeling a natural gas reservoir, (Tech. Paper SPE 9024) SPEJ Oct. 81, 521-526
Multivariate optimization of surfactant systems: tertiary oil recovery, (Transaction SPE 7582) SPEJ Feb. 81, 77-88
Multiwell variable-rate well test analysis, (Forum SPE 8392) SPEJ Aug. 81, 444-446
Non-Newtonian fluid flow through eccentric annuli: an accurate slot-flow model for, (Tech. Paper SPE 9447) SPEJ Oct. 81, 565-572
Oil recovery by steam injection: asymptotic and approximate solutions of analytical modeling, (Tech. Paper SPE 8149) SPEJ Apr. 81, 179-190
Oil recovery by steam injection: upper bounds of analytical model, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178
Optimal hydraulic drilling program design: theoretical description of a new method, (Tech. Paper SPE 8753) SPEJ Aug. 81, 425-434
Pressure buildup: for wells produced at a constant pressure, (Transaction SPE 7985) SPEJ Feb. 81, 105-114
Pressure transient behavior: non-Newtonian/Newtonian fluid composite reservoirs, (Tech. Paper SPE 9401) SPEJ Apr. 81, 271-280
Rates of recovery from mineral sources: how policies affect, (Tech. Paper SPE 9553) SPEJ Dec. 81, 645-657
Representing wells in numerical reservoir simulation: implementation, (Transaction SPE 9770) SPEJ Jun. 81, 339-344
Reservoir simulation pressure equation: conjugate gradient-truncated direct method for the iterative solution, (Transaction SPE 8252) SPEJ Jun. 81, 345-353
Reservoir simulation: finite-element method, (Transaction SPE 7413) SPEJ Feb. 81, 115-128
Reservoir simulation: one approach to the grid orientation problem, (Forum SPE 8247) SPEJ Apr. 81, 160-161

Reservoir simulation: theory involved in representing wells, (Transaction SPE 7697) SPEJ Jun. 81, 323-338
Richardson's iteration with dynamic parameters: SIP incomplete factorization for solution of linear systems of equations, (Tech. Paper SPE 7686) SPEJ Dec. 81, 699-708
Second-order directional seas and associated wave forces, (Transaction SPE 8584) SPEJ Feb. 81, 129-140
Simulation of thermal processes: experimental and theoretical studies on the fluid properties required, (Tech. Paper SPE 8393) SPEJ Oct. 81, 535-550
Single-phase flow problems: improved formulation and solution method, (Transaction SPE 7685) SPEJ Jun. 81, 289-295
Stability and failure of sand arches, (Tech. Paper SPE 8427) SPEJ Apr. 81, 236-248
Surfactant adsorption: porous media; effect of temperature, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Taylor's dispersion in stratified porous media, (Tech. Paper SPE 8436) SPEJ Aug. 81, 459-468
Theory of multicomponent, multiphase displacement in porous media, (Transaction SPE 8372) SPEJ Feb. 81, 51-62
Three-component, two-phase surfactant flooding: application of theory of multicomponent, multiphase displacement, (Tech. Paper SPE 8373) SPEJ Apr. 81, 191-204
Transient rate decline analysis: wells produced at constant pressure, (Transaction SPE 8387) SPEJ Feb. 81, 98-104
Two-phase immiscible displacement: onset of instability in porous media, (Tech. Paper SPE 8371) SPEJ Apr. 81, 249-258
Two-phase tests in large-diameter flow lines: Prudhoe Bay field, Alaska, (Transaction SPE 8305) SPEJ Jun. 81, 363-378
Unsteady-state water influx: in elliptic and anisotropic reservoir/aquifer systems, (Transaction SPE 8748) SPEJ Jun. 81, 309-314
Unsteady-state water influx: in elliptic and anisotropic reservoir/aquifer systems; author's reply to discussion of, (Tech. Paper SPE 10583) SPEJ Oct. 81, 632
Unsteady-state water influx: in elliptic and anisotropic reservoir/aquifer systems; discussion of, (Discussion SPE 10558) SPEJ Oct. 81, 632
Well coning model: strongly coupled, fully implicit, three-dimensional, three-phase type, (Tech. Paper SPE 5738) SPEJ Aug. 81, 454-458
Wellbore phase redistribution: pressure buildup analysis, (Tech. Paper SPE 8206) SPEJ Apr. 81, 259-270

O

Offshore
Design: force coefficients from wave project I and II data including free surface effects, (Tech. Paper SPE 9103) SPEJ Dec. 81, 779-786
Offshore Operations
Second-order directional seas and associated wave forces, (Transaction SPE 8584) SPEJ Feb. 81, 129-140
Oil Recovery
By CO2 oil-displacement mechanisms: compositional model studies, (Transaction SPE 8368) SPEJ Feb. 81, 89-97
By steam injection: analytical modeling of; asymptotic and approximate solutions, (Tech. Paper SPE 8149) SPEJ Apr. 81, 179-190
By steam injection: analytical modeling of; upper bounds, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178
Tertiary micellar flooding: rate effects in; Bradford crude oil, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479
Tests: surfactant adsorption from microemulsion; effect of oil/brine ratio, (Tech. Paper SPE 8989) SPEJ Aug. 81, 500-512
Oklahoma
North Burbank unit: tertiary oil recovery; multivariate optimization of surfactant systems, (Transaction SPE 7582) SPEJ Feb. 81, 77-88
Optimization
Multivariate: surfactant systems for tertiary oil recovery, (Transaction SPE 7582) SPEJ Feb. 81, 77-88
Orientation
Fracture plane: injection wells; analysis of pressure data, (Transaction SPE 8282) SPEJ Feb. 81, 5-20
Grid problem: in reservoir simulation; one approach to, (Forum SPE 8247) SPEJ Apr. 81, 160-161

P

Pennsylvania
Bradford field: rate effects in tertiary micellar flooding of crude oil, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479
Performance Predictions
Of large-scale surfactant/polymer project, (Tech. Paper SPE 7471) SPEJ Dec. 81, 731-739
Permeability
Dynamic measurement of, (Tech. Paper SPE 9095) SPEJ Dec. 81, 670-678
Modificatin: role of flow characteristic of surfactant solutions in porous media, (Tech. Paper SPE 9930) SPEJ Dec. 81, 709-720
Residual: influence of polymer/molecule/wall interactions on mobility control, (Tech. Paper SPE 9298) SPEJ Oct. 81, 613-622
Petroleum Sulfonates
Blend: phase behavior and properties of, (Tech. Paper SPE 8985) SPEJ Oct. 81, 573-580
Characcterization by non-aqueous titration method, (Tech. Paper SPE 9000) SPEJ Dec. 81, 771-778
Systems: investigation of three-phase regions formed by, (Tech. Paper SPE 8260) SPEJ Oct. 81, 581-592
Phase Behavior
CO2 and crude oil: low-temperature reservoirs, (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492
Chemical flood: formulation of a general multiphase, multicomponent model, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Microemulsion and the excess dispersed phase: evaluation of the interfacial tension between, (Tech. Paper SPE 9281) SPEJ Oct. 81, 593-602
Microemulsion systems: a way of characterizing hydrocarbon mixtures, (Tech. Paper SPE 8986) SPEJ Dec. 81, 763-770
Microemulsions: observations, thermodynamic essentials and mathematical simulation, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Multicomponent displacement: theory in porous media, (Transaction SPE 8372) SPEJ Feb. 81, 51-62
Of petroleum sulfonate blend, (Tech. Paper SPE 8985) SPEJ Oct. 81, 573-580
Redistribution in wellbore: pressure buildup analysis, (Tech. Paper SPE 8206) SPEJ Apr. 81, 259-270
Surfactant adsorption from microemulsion: effect of oil/brine ratio, (Tech. Paper SPE 8989) SPEJ Aug. 81, 500-512
Surfactant systems for tertiary oil recovery: multivariate optimization of, (Transaction SPE 7582) SPEJ Feb. 81, 77-88
Tertiary micellar flooding: rate effects in; Bradford crude oil, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479
Two-phase, three-component surfactant flooding: application of theory of multicomponent, multiphase displacement, (Tech. Paper SPE 8373) SPEJ Apr. 81, 191-204
Physical Properties
Of formations: effect of burial history on subsurface horizontal stresses, (Tech. Paper SPE 9017) SPEJ Dec. 81, 658-662
Pilot Study
Xanthan biopolymer fermentation, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217
Pipelines
Drag reduction: in three distinctly different fluids, (Tech. Paper SPE 8722) SPEJ Dec. 81, 663-669

Polyacrylamide
Partially hydrolyzed solutions: in presence of calcium and magnesium ions; prediction of viscosity for, (Tech. Paper SPE 8978) SPEJ Oct. 81, 623-631
Polymers
Biological: xanthan; semipilot fermentation, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217
Drag reduction in three distinctly different fluid systems, (Tech. Paper SPE 8722) SPEJ Dec. 81, 663-669
Flooding: partially hydrolyzed polyacrylamide solutions in presence of calcium and magnesium ions; prediction of viscosity for, (Tech. Paper SPE 8978) SPEJ Oct. 81, 623-631
Molecule/wall interactions: influence on mobility control, (Tech. Paper SPE 9298) SPEJ Oct. 81, 613-622
Solutions: used as sweep improvement agents; correlation of gelation times, (Tech. Paper SPE 8419) SPEJ Apr. 81, 229-235
Surfactant project: large-scale; simulation and performance prediction, (Tech. Paper SPE 7471) SPEJ Dec. 81, 731-739
Surfactant transport: in micellar flooding, (Tech. Paper SPE 9354) SPEJ Oct. 81, 603-612
Water-soluble: chemical characterization problems, (Tech. Paper SPE 8977) SPEJ Dec. 81, 721-730
Porosity
Two systems: decline curve analysis using type curves, (Transaction SPE 9292) SPEJ Jun. 81, 354-362
Porous Media
Chemical flood: formulation of a general multiphase, multicomponent model, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Consolidated: permeability modifications; influence of polymer-molecule/wall interactions on mobility control, (Tech. Paper SPE 9298) SPEJ Oct. 81, 613-622
Flow characteristics of surfactant solutions: their role in permeability modification, (Tech. Paper SPE 9930) SPEJ Dec. 81, 709-720
Onset of instability during two-phase immiscible displacement, (Tech. Paper SPE 8371) SPEJ Apr. 81, 249-258
Pressure transient behavior: non-Newtonian/Newtonian fluid composite reservoirs, (Tech. Paper SPE 9401) SPEJ Apr. 81, 271-280
Stratified; Taylor's dispersion in, (Tech. Paper SPE 8436) SPEJ Aug. 81, 459-468
Surfactant adsorption: effect of temperature, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Theory of multicomponent and multiphase displacement, (Transaction SPE 8372) SPEJ Feb. 81, 51-62
Pressure Behavior
Buildup test: wells produced at constant pressure, (Transaction SPE 7985) SPEJ Feb. 81, 105-114
Compositional modeling with an equation of state, (Tech. Paper SPE 9306) SPEJ Dec. 81, 687-698
Computer-based nonlinear least-square method of pressure matching, (Forum SPE 8392) SPEJ Aug. 81, 444-446
Constant value: effect of non-Darcy flow on production of fractured gas wells, (Transaction SPE 9344) SPEJ Jun. 81, 390-400
Deformation of chalk: under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Injection wells: vertically fractured; analysis of pressure data, (Transaction SPE 8282) SPEJ Feb. 81, 5-20
Profile: reservoir simulation; one approach to the grid orientation problem, (Forum SPE 8247) SPEJ Apr. 81, 160-161
Reservoir simulation equation: conjugate gradient-truncated direct method for the iterative solution, (Transaction SPE 8252) SPEJ Jun. 81, 345-353
Reservoir simulation: finite-element method, (Transaction SPE 7413) SPEJ Feb. 81, 115-128
Transient: non-Newtonian/Newtonian fluid composite reservoirs, (Tech. Paper SPE 9401) SPEJ Apr. 81, 271-280
Wells produced at constant pressure: transient rate decline analysis, (Transaction SPE 8387) SPEJ Feb. 81, 98-104
Pressure Buildup
Analysis: with borehole phase redistribution, (Tech. Paper SPE 8206) SPEJ Apr. 81, 259-270
And drawdown data: unified analysis for physical model reservoir flow; producing well at center of vertical fracture, (Transaction SPE 9402) SPEJ Jun. 81, 379-389
Pressure Drawdown
And buildup data: unified analysis for physical model reservoir flow; producing well at center of vertical fracture, (Transaction SPE 9402) SPEJ Jun. 81, 379-389
Pressure Falloff Tests
Injection wells: vertically fractured; analysis of data, (Transaction SPE 8282) SPEJ Feb. 81, 5-20
Processors
Vector: performance of linear algebra codes on the CRAY-1, (Tech. Paper SPE 7671) SPEJ Oct. 81, 558-564
Production
Constant-pressure: effect of non-Darcy flow; fractured gas wells, (Transaction SPE 9344) SPEJ Jun. 81, 390-400
Rates: mineral sources; how policies affect recovery, (Tech. Paper SPE 9553) SPEJ Dec. 81, 645-657
Production Operations
Wells produced at constant pressure: pressure buildup for, (Transaction SPE 7985) SPEJ Feb. 81, 105-114
Wells produced at constant pressure: transient rate decline analysis, (Transaction SPE 8387) SPEJ Feb. 81, 98-104
Prudhoe Bay Field
See Alaska, (Transaction SPE 8305) SPEJ Jun. 81, 363-378
Pumps
Performance: theoretical description of a new method of optimal hydraulic drilling program design, (Tech. Paper SPE 8753) SPEJ Aug. 81, 425-434

R

Recovery Methods
Hydraulic fracture: effect of friction on growth; near unbonded interfaces in rocks, (Transaction SPE 8347) SPEJ Feb. 81, 21-29
Regression Analysis
Multiwell variable-rate well test, (Forum SPE 8392) SPEJ Aug. 81, 444-446
Relative Permeability
Interpreting from unsteady-state displacement measurements, (Transaction SPE 9403) SPEJ Jun. 81, 296-308
Reservoir Mechanics
Gas storage dynamics: identified models, (Tech. Paper SPE 8862) SPEJ Apr. 81, 151-159
Reservoir Simulation
Finite-element method, (Transaction SPE 7413) SPEJ Feb. 81, 115-128
Grid orientation problem: one approach to, (Forum SPE 8247) SPEJ Apr. 81, 160-161
Linear systems of equations: SIP incomplete factorization for solution of; and Richardson's iteration with dynamic parameters, (Tech. Paper SPE 7686) SPEJ Dec. 81, 699-708
Natural gas reservoir: modeling with simple model, (Tech. Paper SPE 9024) SPEJ Oct. 81, 521-526
Numerical implementation of representing wells, (Transaction SPE 9770) SPEJ Jun. 81, 339-344
Numerical: theory involved in representing wells, (Transaction SPE 7697) SPEJ Jun. 81, 323-338
Pressure equation: conjugate gradient-truncated direct method for the iterative solution, (Transaction SPE 8252) SPEJ Jun. 81, 345-353
Scientific processor: performance of linear algebra codes on the CRAY-1, (Tech. Paper SPE 7671) SPEJ Oct. 81, 558-564
Single-phase flow problems: improved formulation and solution method, (Transaction SPE 7685) SPEJ Jun. 81, 289-295
Well coning: strongly coupled, fully implicit, three-dimensional, three-phase model, (Tech. Paper SPE 5738) SPEJ Aug. 81, 454-458

Reservoir Stimulation
Hydraulic fracture: effect of friction on growth; near unbonded interfaces in rocks, (Transaction SPE 8347) SPEJ Feb. 81, 21-29

Reservoirs
Aquifer systems: elliptic and anisotropic; unsteady-state water influx, (Transaction SPE 8748) SPEJ Jun. 81, 309-314
Aquifer systems: elliptic and anisotropic; unsteady-state water influx; author's reply to discussion of, (Tech. Paper SPE 10583) SPEJ Oct. 81, 632
Aquifer systems: elliptic and anisotropic; unsteady-state water influx; discussion of, (Discussion SPE 10558) SPEJ Oct. 81, 632
Low-temperature: phase behavior of CO2 and crude oil. (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492
Physical model of gas flow: producing well at center of vertical fracture; unified analysis of drawdown and buildup data, (Transaction SPE 9402) SPEJ Jun. 81, 379-389

Rheology
Of aqueous stimulation foams, (Tech. Paper SPE 9530) SPEJ Aug. 81, 410-414

Rocks
Austin and Danian chalks: deformation under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Effects of friction on hydraulic fracture growth: near unbonded interfaces, (Transaction SPE 8347) SPEJ Feb. 81, 21-29

S

Sand Control
Sand arches: stability and failure, (Tech. Paper SPE 8427) SPEJ Apr. 81, 236-248

Sandstone
Acidizing: theoretical and experimental studies, (Transaction SPE 6607) SPEJ Feb. 81, 30-42

Saturation
Compositional model: modeling with an equation of state, (Tech. Paper SPE 9306) SPEJ Dec. 81, 687-698

Seas
Second-order directional: and associated wave forces, (Transaction SPE 8584) SPEJ Feb. 81, 129-140

Sensitivity Coefficient
Comparison of calculation methods in automatic history matching, (Tech. Paper SPE 8251) SPEJ Oct. 81, 551-557

Separation
Of surfactant precursors: their effect on the crude; Smackover Nacatoch cruce oil, (Tech. Paper SPE 8733) SPEJ Aug. 81, 493-499

Shale Oils
Utah: flow properties of, (Tech. Paper SPE 9500) SPEJ Dec. 81, 679-686

Simulation
Computer: radiation transport; two nuclear well logging methods, (Transaction SPE 7432) SPEJ Jun. 81, 315-322
Identified models for gas storage dynamics, (Tech. Paper SPE 8862) SPEJ Apr. 81, 151-159
Mathematical: microemulsion phase behavior, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Numerical: to solve finite difference equations; application of vector processors, (Tech. Paper SPE 7675) SPEJ Aug. 81, 447-453
Of large-scale surfactant/polymer project, (Tech. Paper SPE 7471) SPEJ Dec. 81, 731-739
Thermal processes: fluid properties required; experimental and theoretical studies, (Tech. Paper SPE 8393) SPEJ Oct. 81, 535-550

Slug Process
Simulation: two nuclear well logging methods, (Transaction SPE 7432) SPEJ Jun. 81, 315-322

Stability
Of sand arches, (Tech. Paper SPE 8427) SPEJ Apr. 81, 236-248

Steam Drive
Oil recovery: analytical modeling of; asymptotic and approximate solutions, (Tech. Paper SPE 8149) SPEJ Apr. 81, 179-190
Oil recovery: analytical modeling of; upper bounds, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178

Steam Injection
Applications: comprehensive wellbore steam/water flow model, (Tech. Paper SPE 7966) SPEJ Oct. 81, 527-534

Stimulation
Chemical flood: formulation of a general multiphase, multicomponent model, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Foams: chemistry, physical nature and rheology of aqueous solutions, (Tech. Paper SPE 9530) SPEJ Aug. 81, 410-414
Well: evaluation of acid-gelling agents, (Tech. Paper SPE 9384) SPEJ Aug. 81, 415-424

Stratification
Porous media: Taylor's dispersion in, (Tech. Paper SPE 8436) SPEJ Aug. 81, 459-468

Stresses
Effect of shear history: flow properties of Utah shale oils, (Tech. Paper SPE 9500) SPEJ Dec. 81, 679-686
In elastic material: stability and failure of sand arches, (Tech. Paper SPE 8427) SPEJ Apr. 81, 236-248
Subsurface horizontal: effect of burial history; formations having different material properties, (Tech. Paper SPE 9017) SPEJ Dec. 81, 658-662

Surfactants
Adsorption from microemulsion: effect of oil/brine ratio, (Tech. Paper SPE 8989) SPEJ Aug. 81, 500-512
Adsorption in porous media: effect of temperature, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Concentrations: microemulsion phase behavior; observations, thermodynamic essentials and mathematical simulation, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Flooding: application of theory of multicomponent, multiphase displacement to three-component, two-phase system, (Tech. Paper SPE 8373) SPEJ Apr. 81, 191-204
Flooding: phase behavior and properties of a petroleum sulfonate blend, (Tech. Paper SPE 8985) SPEJ Oct. 81, 573-580
Flooding: theory of multicomponent, multiphase displacement in porous media, (Transaction SPE 8372) SPEJ Feb. 81, 51-62
Microemulsion: and the excess dispersed phase; evaluation of the interfacial tension between, (Tech. Paper SPE 9281) SPEJ Oct. 81, 593-602
Optimizing concentrations: aqueous stimulation foams; chemistry, physical nature, and rheology, (Tech. Paper SPE 9530) SPEJ Aug. 81, 410-414
Petroleum sulfonates: characterization by non-aqueous titration method, (Tech. Paper SPE 9000) SPEJ Dec. 81, 771-778
Polymer project: large-scale; simulation and performance prediction, (Tech. Paper SPE 7471) SPEJ Dec. 81, 731-739
Polymer transport: in micellar flooding, (Tech. Paper SPE 9354) SPEJ Oct. 81, 603-612
Precursors: their separation and effect on the crude; Smackover Nacatoch crude oil, (Tech. Paper SPE 8733) SPEJ Aug. 81, 493-499
Solutins: role of flow characteristics in permeability modification; porous media, (Tech. Paper SPE 9930) SPEJ Dec. 81, 709-720
Systems: for tertiary oil recovery; multivariate optimization, (Transaction SPE 7582) SPEJ Feb. 81, 77-88

Sweep Efficiency
Improvement agents: correlation of gelation times for polymer solutions, (Tech. Paper SPE 8419) SPEJ Apr. 81, 229-235

T

Temperature
Effect on surfactant adsorption: porous media, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Low: phase behavior of CO2 and crude oil in reservoirs, (Tech. Paper SPE 8813) SPEJ Aug. 81, 480-492
Tertiary Recovery
Investigation of three-phase regions formed by petroleum sulfonate systems, (Tech. Paper SPE 8260) SPEJ Oct. 81, 581-592
Micellar flooding: rate effects in; Bradford crude oil, (Tech. Paper SPE 7639) SPEJ Aug. 81, 469-479
Oil: characterization of petroleum sulfonates by non-aqueous titration method, (Tech. Paper SPE 9000) SPEJ Dec. 81, 771-778
Oil: chemical flood; formulation of a general multiphase, multicomponent model, (Transaction SPE 6727) SPEJ Feb. 81, 63-76
Oil: multivariate optimization of surfactant systems, (Transaction SPE 7582) SPEJ Feb. 81, 77-88
Smackover Nacatoch crude oil: separation of surfactant precursors and their effect on the crude, (Tech. Paper SPE 8733) SPEJ Aug. 81, 493-499
Testing
Compression: deformation of chalk; under confining pressure and pore pressure, (Transaction SPE 8076) SPEJ Feb. 81, 43-50
Injectivity and falloff: pressure transient behavior of non-Newtonian/Newtonian fluid composite reservoir, (Tech. Paper SPE 9401) SPEJ Apr. 81, 271-280
Multiwell variable-rate well test analysis, (Forum SPE 8392) SPEJ Aug. 81, 444-446
Pressure buildup: analysis with wellbore phase redistribution, (Tech. Paper SPE 8206) SPEJ Apr. 81, 259-270
Pressure buildup: wells produced at constant pressure, (Transaction SPE 7985) SPEJ Feb. 81, 105-114
Wells produced at constant pressure: transient rate decline analysis, (Transaction SPE 8387) SPEJ Feb. 81, 98-104
Texas
Evaluation of acid-gelling agents: use in well stimulation, (Tech. Paper SPE 9384) SPEJ Aug. 81, 415-424
Thermal Recovery of Oil
Simulation of thermal processes: fluid properties required; experimental and theoretical studies, (Tech. Paper SPE 8393) SPEJ Oct. 81, 535-550
Steam injection: analytical modeling of; asymptotic and approximate solutions, (Tech. Paper SPE 8149) SPEJ Apr. 81, 179-190
Steam injection: analytical modeling of; upper bounds, (Tech. Paper SPE 8148) SPEJ Apr. 81, 162-178
Steam injection: comprehensive wellbore steam/water flow model, (Tech. Paper SPE 7966) SPEJ Oct. 81, 527-534
Steamfloods: effect of temperature on surfactant adsorption; porous media, (Tech. Paper SPE 8264) SPEJ Apr. 81, 218-228
Thermodynamics
Essentials: microemulsion phase behavior, (Tech. Paper SPE 9351) SPEJ Dec. 81, 747-762
Titration
Nonaqueous method: characterization of petroleum sulfonates, (Tech. Paper SPE 9000) SPEJ Dec. 81, 771-778
Tracers
Chemical: characterization problems in water-soluble polymers, (Tech. Paper SPE 8977) SPEJ Dec. 81, 721-730
Performance: reservoir simulation by a finite-element method, (Transaction SPE 7413) SPEJ Feb. 81, 115-128
Transients
Rate decline analysis: for wells produced at constant pressure, (Transaction SPE 8387) SPEJ Feb. 81, 98-104
Transports
Polymer/surfactant: micellar flooding, (Tech. Paper SPE 9354) SPEJ Oct. 81, 603-612

U

Underground Combustion
Western coals: laboratory studies of gasification kinetics, (Tech. Paper SPE 7527) SPEJ Dec. 81, 740-746
Utah
Shale oils: flow properties of, (Tech. Paper SPE 9500) SPEJ Dec. 81, 679-686

V

Variational Methods
For history matching: automatic; comparison of sensitivity coefficient calculation methods, (Tech. Paper SPE 8251) SPEJ Oct. 81, 551-557
Vectors
Processing: performance of linear algebra codes on the CRAY-1, (Tech. Paper SPE 7671) SPEJ Oct. 81, 558-564
Processors: application to solve finite difference equations, (Tech. Paper SPE 7675) SPEJ Aug. 81, 447-453
Viscometer
Measurements: flow properties of Utah shale oils, (Tech. Paper SPE 9500) SPEJ Dec. 81, 679-686
Viscosity
Prediction: for partially hydrolyzed polyacrylamide solutions in presence of calcium and magnesium ions, (Tech. Paper SPE 8978) SPEJ Oct. 81, 623-631

W

Water
Soluble polymers: chemical characterization problems, (Tech. Paper SPE 8977) SPEJ Dec. 81, 721-730
Wellbore steam flow model: for steam injection and geothermal applications, (Tech. Paper SPE 7966) SPEJ Oct. 81, 527-534
Water Influx
Unsteady-state: in elliptic and anisotropic reservoir/aquifer systems, (Transaction SPE 8748) SPEJ Jun. 81, 309-314
Unsteady-state: in elliptic and anisotropic reservoir/aquifer systems; author's reply to discussion of, (Tech. Paper SPE 10583) SPEJ Oct. 81, 632
Unsteady-state: in elliptic and anisotropic reservoir/aquifer systems; discussion of, (Discussion SPE 10558) SPEJ Oct. 81, 632
Waterflooding
Maraflood process: xanthan biopolymer semipilot fermentation, (Tech. Paper SPE 8420) SPEJ Apr. 81, 205-217
Wave Action
Second-order directional seas, (Transaction SPE 8584) SPEJ Feb. 81, 129-140
Waxes
Crystallized: flow properties of Utah shale oils, (Tech. Paper SPE 9500) SPEJ Dec. 81, 679-686
Well Completion
Evaluation of acid-gelling agents, (Tech. Paper SPE 9384) SPEJ Aug. 81, 415-424
Well Logging
Nuclear methods: computer simulation of two types, (Transaction SPE 7432) SPEJ Jun. 81, 315-322
Well Pattern
One-quarter five-spot: reservoir simulation; one approach to the grid orientation, (Forum SPE 8247) SPEJ Apr. 81, 160-161
Well Performance
Coning: strongly coupled, fully implicit, three-dimensional, three-phase well model, (Tech. Paper SPE 5738) SPEJ Aug. 81, 454-458
Multiwell variable-rate well test analysis, (Forum SPE 8392) SPEJ Aug. 81, 444-446

Wellbore Mechanics
Heat loss: comprehensive steam/water flow model for steam injection and geothermal applications, (Tech. Paper SPE 7966) SPEJ Oct. 81, 527-534
Models of: implementation of representing wells in numerical reservoir simulation, (Transaction SPE 9770) SPEJ Jun. 81, 339-344
Models of: theory involved in representing wells, (Transaction SPE 7697) SPEJ Jun. 81, 323-338
Phase redistribution: pressure buildup analysis, (Tech. Paper SPE 8206) SPEJ Apr. 81, 259-270
Single-phase flow problems: improved formulation and solution method, (Transaction SPE 7685) SPEJ Jun. 81, 289-295
Wells produced at a constant pressure: pressure buildup for, (Transaction SPE 7985) SPEJ Feb. 81, 105-114
Wells produced at a constant pressure: transient rate decline analysis, (Transaction SPE 8387) SPEJ Feb. 81, 98-104
Wettability
Interpreting from unsteady-state displacement measurements, (Transaction SPE 9403) SPEJ Jun. 81, 296-308

Z

Zeta Potential
In dynamic measurement of permeability, (Tech. Paper SPE 9095) SPEJ Dec. 81, 670-678